

IN THE CENTRAL ADMINISTRATIVE TRIBUNAL
BOMBAY BENCH 'GULESTAN' BUILDING NO:6
PRESOTT ROAD, BOMBAY:1

Original Application No. 311/97 and 312/97

Monday the 9th day of June 1997

CORAM: Hon'ble Shri B.S. Hegde, Member (J)
Hon'ble Shri M.R. Kolhatkar, Member (A)

S.R. Sangviker
Personnel Inspector (Gr.III)
O/O Chief Personnel Officer,
Central Railway, Fort, Mumbai.

... Applicant.
(OA 311/97)

S. Natarajan
Personnel Inspector (Gr.III)
O/O Chief Personnel Officer,
Central Railway, Fort, Mumbai.

... Applicant
(OA 312/97)

By Advocate Shri S.P. Kulkarni.

V/s.

Union of India through
Divisional Railway Manager (Personnel)
C.S.T., Fort, Mumbai.

Chief Personnel Officer,
Central Railway, C.S.T., Fort,
Mumbai.

General Manager,
Central Railway, C.S.T., Fort,
Mumbai.

Smt. D.R. Naidu
Shri M.C. Patki
Shri S.A. Pandey
Shri S.B. Parmar,
" A.M. Thakur
" Sharad Jagdale
" S.S. Kushwaha
" A.M. Mathure.

... Respondents.

By Advocate Shri S.C. Dhawan alongwith Shri V.S. Masurkar.

O R D E R (ORAL)

(Per Shri B.S. Hegde, Member (J))

The only question for consideration in
these O.A.s are whether the applicants are qualified
to be regularised P.I. Grade III. On perusal of the

By

....2...

: 2 :

original records, we find that the applicants have not secured ~~only~~ ^{the required ability to become eligible for} 30 marks in ~~written examination~~, and ~~panel~~ ^{that} wrongly they have been called for viva. The mistake has been rectified by the department. In the circumstances, we hereby, direct the respondents to give show cause notice to the applicants stating the reasons for revision of the panel. On receipt of the show cause notice the applicants are directed to give reply within 8 days. Thereafter, the respondents are directed to ~~dispose~~ of the reply of the applicant within a period of one week.

Status quo to continue till such disposal.

O.A. is disposed of at the admission stage.

Copy of the order be given to the parties.

M.R. Kolhatkar

(M.R. Kolhatkar)
Member(A)

B.S. Hegde

(B.S. Hegde)
Member(J)

NS